

ADDENDUM NO. 1
TO PLANS, SPECIFICATIONS AND CONTRACT DOCUMENTS

TO: ALL PLANHOLDERS AND PROSPECTIVE BIDDERS

FOR: SANITARY & IMPROVEMENT DISTRICT NO. 290
(SCHEWE FARMS, STORM SEWER, SECTION I AND
SANITARY SEWER, SECTION II)
LRA JOB NO. 0109050.11-040

OWNER: S.I.D. NO. 290 OF SARPY COUNTY, NEBRASKA

ENGINEER: LAMP, RYNEARSON & ASSOCIATES, INC.
14710 WEST DODGE ROAD, SUITE 100
OMAHA, NEBRASKA 68154-2029

DATE: APRIL 22, 2010

The following changes, corrections, clarifications and additions shall be made to the Plans, Specifications, and Contract Documents for the above-named project and shall be as binding as if incorporated in the original Contract Documents. The Contractor shall acquaint himself with all aspects of this Addendum.

All other provisions and stipulations of the Contract Documents remain in effect, as originally issued.

The Contractor shall acknowledge receipt of all addenda on the Proposal Form.

The following shall be deleted, modified or added to as follows:

PLANS

1. Sheet 1 of 25 – Revised bid table descriptions and quantities.
2. Sheet 2 of 25 – Revised project phasing schedule (Phase 2 – 20 working days), Updated coordinate table.
3. Sheet 3 of 25 – Revised R.C.P. storm sewer bedding detail.
4. Sheet 4 of 25 – Revised area inlet (structure 187/188) detail and 100 year drainage swale detail.
5. Sheet 8 of 25 – Revised pipe sizes and slopes, D126 changed to 42" pipe plug.
6. Sheet 9 of 25 – Addition of inlets and pipe at 126th & Highway 370.
7. Sheet 12 of 25 – Revised inlet locations, pipe lengths and slopes, D35 changed to Type II inlet.
8. Sheet 13 of 25 – Revised pipe sizes and slopes, added construct long term erosion control matting, construct over-flow ditch and construct rolled wattle.
9. Sheet 14 of 25 – Revised inlet locations, pipe lengths and slopes.
10. Sheet 15 of 25 – Revised inlet locations, pipe lengths and slopes. D229 changed to 24" pipe plug.
11. Sheet 18 of 25 – Revised inlet locations, pipe lengths and slopes.
12. Sheet 19 of 25 – Revised inlet locations, pipe lengths and slopes.
13. Sheet 20 of 25 – Revised inlet locations, pipe lengths and slopes.
14. Sheet 22 of 25 – Revised inlet locations, pipe lengths and slopes.

CONTRACT DOCUMENTS

1. Replace the bid item tables in the *NOTICE TO CONTRACTORS*, NC-1 to NC-2; *BID DOCUMENTS*, B-1 to B-7; *AGREEMENT*, A-1 to A-8; and *CONTRACTORS APPLICATION FOR PAYMENT* - with the following revised Bid Item Table.

ITEM NO.	BID ITEM DESCRIPTION	APPROXIMATE QUANTITIES	
STORM SEWER, SECTION I			
1.	REMOBILIZATION	1	EA
2.	CLEARING AND GRUBBING GENERAL	1	LS
3.	GENERAL GRADING AND SHAPING	1	LS
4.	EARTHWORK (EXCAVATION)	17,625	CY
5.	MAINTAIN ROCK ACCESS ROAD	100	TN
6.	REMOVE 18" C.M.P.	750	LF
7.	REMOVE RIP RAP APRON	40	TN
8.	FLOWABLE FILL	16	CY
9.	CONSTRUCT 15" R.C.P., CLASS III	1,500	LF
10.	CONSTRUCT 18" R.C.P., CLASS III	850	LF
11.	CONSTRUCT 24" R.C.P., CLASS III	600	LF
12.	CONSTRUCT 27" R.C.P., CLASS III	50	LF
13.	CONSTRUCT 30" R.C.P., CLASS III	950	LF
14.	CONSTRUCT 36" R.C.P., D(0.01) = 1,350	2,100	LF
15.	CONSTRUCT 42" R.C.P., D(0.01) = 1,350	2,500	LF
16.	CONSTRUCT 48" R.C.P., D(0.01) = 1,350	400	LF
17.	CONSTRUCT 54" R.C.P., D(0.01) = 1,350	1,100	LF
18.	CONSTRUCT 60" R.C.P., D(0.01) = 1,350	1,350	LF
19.	CONSTRUCT 66" R.C.P., D(0.01) = 1,350	90	LF
20.	CONSTRUCT 72" R.C.P., D(0.01) = 1,350	80	LF
21.	CONSTRUCT 48" R.C.P., D(0.01) = 1,350 WITH PIPE COUPLERS	45	LF
22.	CONSTRUCT 54" R.C.P., D(0.01) = 1,350 WITH PIPE COUPLERS	85	LF
23.	CONSTRUCT 18" C.M.P.	175	LF
24.	CONSTRUCT SALVAGED 18" C.M.P.	325	LF
25.	CONSTRUCT 54" I.D. FLATTOP MANHOLE (4 EA)	25	VF
26.	CONSTRUCT 66" I.D. FLATTOP MANHOLE (11 EA)	80	VF
27.	CONSTRUCT 72" I.D. FLATTOP MANHOLE (6 EA)	55	VF
28.	CONSTRUCT 84" I.D. FLATTOP MANHOLE (7 EA)	65	VF
29.	CONSTRUCT 96" I.D. FLATTOP MANHOLE (4 EA)	40	VF
30.	CONSTRUCT 108" I.D. FLATTOP MANHOLE (6 EA)	80	VF
31.	CONSTRUCT MANHOLE RING COLLAR	19	EA
32.	CONSTRUCT 54" I.D. TYPE II AREA INLET (7 EA)	50	VF
33.	CONSTRUCT 72" I.D. TYPE II AREA INLET (1 EA)	9	VF
34.	CONSTRUCT 72" I.D. TYPE II AREA INLET (12" OPENING) (1 EA)	9	VF
35.	CONSTRUCT CURB INLET - TYPE III WITH APRON	2	EA
36.	CONSTRUCT TEMPORARY INLET BASE	19	EA

ITEM NO.	BID ITEM DESCRIPTION	APPROXIMATE QUANTITIES	
37.	CONSTRUCT PCC COLLAR	2	EA
38.	CONSTRUCT 15" PIPE BEDDING	1,500	LF
39.	CONSTRUCT 18" PIPE BEDDING	850	LF
40.	CONSTRUCT 24" PIPE BEDDING	600	LF
41.	CONSTRUCT 27" PIPE BEDDING	50	LF
42.	CONSTRUCT 30" PIPE BEDDING	950	LF
43.	CONSTRUCT 36" PIPE BEDDING	2,100	LF
44.	CONSTRUCT 42" PIPE BEDDING	2,500	LF
45.	CONSTRUCT 48" PIPE BEDDING	445	LF
46.	CONSTRUCT 54" PIPE BEDDING	1,185	LF
47.	CONSTRUCT 60" PIPE BEDDING	1,350	LF
48.	CONSTRUCT 66" PIPE BEDDING	90	LF
49.	CONSTRUCT 72" PIPE BEDDING	80	LF
50.	TAP EXISTING 54" I.D. FLATTOP MANHOLE	2	EA
51.	TAP EXISTING 66" I.D. FLATTOP MANHOLE	2	EA
52.	TAP EXISTING 84" I.D. FLATTOP MANHOLE	2	EA
53.	TAP EXISTING 96" I.D. FLATTOP MANHOLE	3	EA
54.	CONSTRUCT 18" R.C. VERTICAL PIPE BEND	2	EA
55.	CONSTRUCT 18" R.C. HORIZONTAL AND VERTICAL PIPE BEND	6	EA
56.	CONSTRUCT 48" R.C. FLARED END SECTION	2	EA
57.	CONSTRUCT 54" R.C. FLARED END SECTION	2	EA
58.	CONSTRUCT 66" R.C. FLARED END SECTION	1	EA
59.	CONSTRUCT TIMBER PILE PIPE SUPPORT (54"- 72")	1	EA
60.	CONSTRUCT 15" R.C.P. PIPE PLUG	2	EA
61.	CONSTRUCT 18" R.C.P. PIPE PLUG	4	EA
62.	CONSTRUCT 24" R.C.P. PIPE PLUG	5	EA
63.	CONSTRUCT 27" R.C.P. PIPE PLUG	1	EA
64.	CONSTRUCT 30" R.C.P. PIPE PLUG	2	EA
65.	CONSTRUCT 36" R.C.P. PIPE PLUG	6	EA
66.	CONSTRUCT 42" R.C.P. PIPE PLUG	8	EA
67.	CONSTRUCT ROCK RIP RAP - TYPE B	100	TN
68.	CONSTRUCT ROCK RIP RAP - TYPE C	200	TN
69.	CONSTRUCT GABIONS AND REVET MATTRESS	120	CY
70.	CONSTRUCT TEMPORARY PIPE DIVERSION (18" - 27")	1	EA
71.	STABILIZE TRENCH WITH CRUSHED LIMESTONE	500	TN
72.	CONSTRUCT LONG-TERM EROSION CONTROL BLANKET	10,000	SY
73.	CONSTRUCT INLET FILTER	400	LF
74.	CONSTRUCT SILT FENCE	1,000	LF

ITEM NO.	BID ITEM DESCRIPTION	APPROXIMATE QUANTITIES	
75.	CLEANOUT SILT FENCE	500	LF
76.	REMOVE SILT FENCE	2,200	LF
77.	SEEDING - TYPE "A"	1	AC
78.	SEEDING - TYPE "B"	2	AC
79.	SEEDING - TYPE "T"	4	AC
80.	SEEDING - TYPE "W"	0	AC
81.	STRAW MULCH	4	AC
82.	CONSTRUCT ROLLED WATTLE	200	LF
SANITARY SEWER, SECTION II			
83.	REMOVE 8" PIPE PLUG	6	EA
84.	CONSTRUCT 8" SANITARY SEWER PIPE	1,450	LF
85.	CONSTRUCT 8" PIPE BEDDING	1,450	LF
86.	CONSTRUCT 8" PIPE PLUG	3	EA
87.	TRENCH INSULATION	70	LF
88.	CONSTRUCT 54" I.D. SANITARY MANHOLE (2 EA)	30	VF

2. Make the following change to the Special Conditions, Section A General Requirements, Agreement and Bid Form:

CONTRACT TIME: The CONTRACTOR shall commence work within five (5) days after receiving written Notice to Proceed, and shall complete all work within 15 working days for Phase 1, **20 working days for Phase 2**, 7 working days for Phase 3, 40 Working days for Phase 4 and 5 working days for Phase 5. If the contractor completes a phase and the next phase of Storm Section I is not ready within 1 week, then contractor shall be paid remobilization.

The phasing plan is shown on Sheet 2 of the PLANS.

3. Make the following change to the Special Conditions, Section C Storm Sewer, add the following new paragraphs:

ROLLED WATTLE: The CONTRACTOR shall provide and place rolled wattles at the locations indicated on the PLANS. Payment at the contract unit price per linear foot for "Construct Rolled Wattle" shall be full compensation for furnishing all labor, materials, equipment, tools, and incidentals necessary to complete the work. Rolled wattles shall be the 12" Stenlog Wattle, manufactured by Erosion Control Blanket.com or an approved substitute, placed using 30" long 1x2 stakes at 10 foot intervals along the length of the wattle and at ends.

THE PROJECT SHALL BE CONSTRUCTED WITH NO ANTICIPATED DELAY.

REVISED BID FORM ENCLOSED

Sanitary & Improvement District No. 290
(Schewe Farms, Storm Sewer, Section I and Sanitary Sewer, Section II)
Addendum No. 1
LRA Job No. 0109050.11-040
April 22, 2010
Page 5

ENCLOSURES

END OF ADDENDUM

Sincerely,

LAMP, RYNEARSON & ASSOCIATES, INC.

David G. Lampe, P.E.
Senior Project Engineer